T-55466D084J-LW-A-ABN OPTREX 800*600 8.4 inch lcd display

Model	T-55466D084J-LW-A-ABN
Brand	OPTREX
Category	<u>OPTREX</u>
Diagonal Size	8.4 inch
Resolution	800(RGB)×600
Active Area	170.4(W)×127.8(H) mm
Outline Size	199.5 × 149 × 14.3 (H×V×D)
Luminance	480 cd/m² (Typ.)
Good View at	6 o\'clock
Viewing Angle	80/80/60/80 (Typ.)(CR?10)
Support Color	262K/16.7M 39% NTSC
Weight	500g
Frame Rate	60Hz
Frame Rate Interface Type	60Hz LVDS (1 ch, 6/8-bit) , 20 pins Connector
Interface Type	LVDS (1 ch, 6/8-bit) , 20 pins Connector
Interface Type Power Supply	LVDS (1 ch, 6/8-bit), 20 pins Connector 3.3V (Typ.)
Interface Type Power Supply Operating Temp	LVDS (1 ch, 6/8-bit) , 20 pins Connector 3.3V (Typ.) -30 ~ 80 °C
Interface Type Power Supply Operating Temp Panel Type	LVDS (1 ch, 6/8-bit), 20 pins Connector 3.3V (Typ.) -30 ~ 80 °C a-Si TFT-LCD, LCM
Interface Type Power Supply Operating Temp Panel Type Pixel Format	LVDS (1 ch, 6/8-bit), 20 pins Connector 3.3V (Typ.) -30 ~ 80 °C a-Si TFT-LCD, LCM RGB Vertical Stripe
Interface Type Power Supply Operating Temp Panel Type Pixel Format Bezel Opening	LVDS (1 ch, 6/8-bit), 20 pins Connector 3.3V (Typ.) -30 ~ 80 °C a-Si TFT-LCD, LCM RGB Vertical Stripe 174.9(W)×132.2(H) mm
Interface Type Power Supply Operating Temp Panel Type Pixel Format Bezel Opening Treatment	LVDS (1 ch, 6/8-bit), 20 pins Connector 3.3V (Typ.) -30 ~ 80 °C a-Si TFT-LCD, LCM RGB Vertical Stripe 174.9(W)×132.2(H) mm Antiglare, Hard coating (3H)

Lamp Type	2 strings WLED, 100K hours, No Driver
Touch Screen	4-wire Resistive Touch

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about T-55466D084J-LW-A-ABN. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

https://www.invshop.com

https://www.invshop.com



https://www.invshop.com



https://www.invshop.com